



Index Seminum A. host. botan Panomitan 1857 Augustinus Todaro Cerus Jinei not: (C. Cossyrensis Jin iftet. (Cer. Euvereus, subsect. Cereaster.) rule vividi execto inasticulato subattenuato simplier vel busi interdum ramosa Juloute 8-11 augulato, sinulus sub\_ aculis, atte in ferne parum obsoletis rostis obtusis, vix supra arcolas rotundata, approximatas constrictis ideogra subsinualis, ætete sub rontiguis, anleis 12-20 ( format griser) parum ihregaeliber, stelletier patentiber arivalænibus, aliis albidis aliis albid - falvig omn'by apire aignsventibus. berris magnes aureis ovalibus glabris tiberrulati, tuberruli, apire fisoriales promum persistration praeditis, pulpe alba, semin'bus nignis predets A. Jul - Ortob. 3-2/3 pd.all. roshi /2 poll juter se distantibus. sulvi poll distantes i ærester vetenilen Amelei 9-20 numerosiores 2/2 - 6/2 lin log, mon gli Her æ parte mulis superiori erun penter, plerungue un laterle, Senigoni toby elongotas Carpalla,

legerla felow - brunea, linemia

settomiante petete superation saequelis

extendra. sensim breviora, sobreflexa extrema libraria brevisione in axilli færrirelo petorum prædite. Iti elongeti fisicialeti i pustibus persis Ottele alba linea Silvete viris. per medium notatus oblonge = linearia obsolet. spette late, sat en væ i reigis spattelet, latione brunche, ascenirete Att. 10-12/2 Dem ovorden 2 pell longe The fell lets Vioxing C. eriophoro it C. subrepado a primo recedil anolis robusti. approximater, lægitæshe acolorum it costis non ita Timeato repandi a C. subrepaulo canle Impla conssion, myatte et forma Lecone To Olim - Pautellania (Cossym) Juper tectum organdam domes verria til ex Consilie alleter. - hert bot lanomet 1-6 2 in flordt furturgen maturat.

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

MISSOURI BOTANICAL GARDEN George Times i Hot bot Horenting call pedelis 1/2 inch thick. 8=9 rostet il Cost. obtase ared ortive 8-10 li distant 10-18 The anilow releaseth gran er ett geg brownsk spran dank tipped \_ 4 - 6 lin long unequal\_ Men Granking at best Horne May 1858 MISSOURI BOTANICAL

copyright reserved cm

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS






Host Hen . Aug 1857 1962 Cercus reduction Link from Muxiro /fool high taberdes prominent below the arcolae, on the virtex there tuberdes are very prominent before the spines or the C. Lecaning Hook, a start plant of old, 9-10 extensor and J-4 interior ones, bulbour at base. Their may be polgaranthus. C. obtusus looks like væn'abelig Joo years old ( supposed tobe) O semblis 31 ribs, on the greater hart of the steer suly few hair - spines: night ab 1/2 Jeel, d'amet 9 ruches. C. glausus Smit, 4-5 compressed nits fl. 10 inches dong overy I whith very for stales on it, a lear more ontuke - fl. white; spines 1/-1 sinh long small, the another

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

MISSOURI BOTANICAL GARDEN

MISSOURI BUTALITE CALL CALLED GEORGE ENGELMANN PAPERS MISSOURI BOTANICAL copyright reserved cm GARDEN





100


MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS MISSOURI BOTANICAL copyright reserved cm GARDEN

Wm m gabt. 1867 Trous along The race. fin Jeded in section of . The offer At groups of spines and nortun dustantly placed. The spins nearly efeat in Rye short and rather robust. Hu specemen found was 22 At lingth and had a Mubicrous votot in proportion as repusenten Coreus Gragges I rangerenters MISSOURI

copyright reserved cm


BOTANICAL GARDEN MISSOURI BOTAMICAL GARDEN GEORGE ENGELMANN PAPERS MISSOURI BOTANICAL

copyright reserved



cm

copyright reserved



Weddelles Cachinese figures ropied 1857 Mer Wedt original, In - Th Spot, e Catalanis Experition 

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

O A R D E N

MISSOURI BOTANICAL GARDEN MISSOURI BOTANICAL copyright reserved cm GARDEN

3 metry 1967 24 Aug common Lallo 20 steer orceping on the landhills Sans les campos
Mis Gimede de Cerjaba, Morto Grosso Socar Campos pierreng pris Carelão Jorga XX style shorter the stamme ; flows of base with \$ 16. frex por Cinti ments white work A on trees leaning , very high

XX stender on walls high trees, leaning fuit tuturden, 2 miles dånd butifully yellow, exter Seed of Amentin Perrismin Jon Mi examine position of Shikes highl & Mann of Growth of On Gring? MISSOURI BOTANICAL copyright reserved


GARDEN

cm

The dirty red or brown ref . Chiquitar 36 Chigatos, Belivia, calvareofs soil 33 Ansis Provo de mentogrosso, ou the Vacinaque 6-8 dennte high 18. N. 1 mitro \_ ramore for ashito, Panguay of Cinti so. 15 An 32 1 2-feel high atrensing much bandhed XX 6: 2-3 ful high bas languay, neky 41 5 mite, high a e worder 1.16 - of the Cottoning gohen / MISSOURI BOTANICAL GARDEN Den high My 4-5 ful high - it Jandin, from seeds I sepel up wolly, pedrit purple 2-3 mitte, hegt, eglikelet. linti 3d. J. At Conti all cylinder A Jonina, [new Citati] 29 A. Sity violes. when ? 2/3 Venn de rapadora Om de Mesto Grosson. Sur 1844 2-3 Metro tags. MISSOURI

copyright reserved

BOTANICAL GARDEN



- M22 nother Toristikher- Prov. Chiquitos, Bolivia 3 stem jørinder, not regularly angelow, but tubermlate, spring short, sons flower 4-5 like log with few sounded scales on Take, solven, lie de vie dity Brunne ", stigmen 10. f. d. " 11 stem whilish madre with green MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS MISSOURI BOTANICAL copyright reserved cm GARDEN

